CONTENTS OF VOLUME 70

NUMBER 1—MAY 1990

Invited Article. Three-colour CARS spectroscopy of the OH radical at triple resonance
By B. Attal-Trétout, P. Berlemont and J. P. Taran 1

New algorithm for constrained molecular-dynamics simulation of liquid benzene and naphthalene
By A. Baranyai and D. J. Evans 53

A study of the single-moment, two-moment and multilevel descriptions of depolarized Rayleigh light scattering in molecular gases
By E. C. Bissonnette and F. R. W. McCourt 65

Diode-laser spectroscopy of a $^3\Pi$ CO
By P. B. Davies and P. A. Martin 89

New electronic transitions in the YF spectrum; energies of the $a\,^3\Delta$ and $b\,^3\Pi$ states
By L. A. Kaledin and E. A. Shenyavskaya 107

The Hall effect in dilute ionic solutions
By H. J. Kroh and B. U. Felderhof 119

Percus–Yevick integral-equation theory for athermal hard-sphere chains. Part I: Equations of state
By Y. C. Chiew 129

Three-particle hyperspherical coordinates: permutation–inversion symmetry properties
By J. G. Frey 145

Preliminary Communications

The infrared spectrum of the GeH radical by laser magnetic resonance
By J. P. Towle and J. M. Brown 161

Detection of the GeD($X\,^2\Pi$) vibration–rotation spectrum by laser magnetic resonance
By W. Zimmermann, K.-P. Smolka and W. Urban 167

NUMBER 2—10 JUNE 1990

Computational studies of the structure of carbon dioxide monolayers physisorbed on the basal plane of graphite
By K. D. Hammonds, I. R. McDonald and D. J. Tildesley 175

Second-harmonic generation in metal island films consisting of oriented silver particles of low symmetry
By A. Leitner 197

Determination of the mutual-diffusion coefficient of a binary mixture by non-equilibrium molecular dynamics viewed as a sedimentation experiment
By F. O. Raineri and H. L. Freidman 209

A study of anisotropic pair distribution theories for Lennard-Jones fluids in narrow slits. Part I. Density profiles and surface interactions
By R. Kjellander and S. Sarman 215

Transport and relaxation cross-sections for He–N_2 mixtures
By A. S. Dickinson and E. L. Heck 239

Classical limits of generalized cross-sections for atom–molecule systems
By W.-K. Liu and A. S. Dickinson 253

On the kinetics of diffusive liquid–liquid interfacial transport: mean-passage-time solution and the chemical picture
By J. P. Simonin and M. Moreau 265

A comparison between molecular-dynamics and theoretical results for the structure of fluids of hard ellipsoids
By J. Talbot, A. Perera and G. N. Patey 285

Bond forces and pressure in diatomic liquids
By J. GAO and J. H. WEINER 299

Vibrational overtone spectra of monofluoroacetylene: a preliminary report
By J. K. HOLLAND, D. A. NEWNHAM and I. M. MILLS 319

Multiple-pulse methods of ^1H N.M.R. imaging of solids: second-averaging
By D. G. CORY, J. B. MILLER, R. TURNER and A. N. GARROWAY 331

Research Note

Numerical test of the Kawasaki distribution function
By D. J. EVANS and G. P. MORRISS 347

NUMBER 3—20 JUNE 1990

An analysis of hydrogen-bonded systems: $(HF)_2$, $(H_2O)_2$ and $H_2O \cdots HF$
By I. RØEGGEN 353

Electric moments and field gradients in the van der Waals H_2 system
By P. W. FOWLER and E. STEINER 377

Fast Hartree–Fock calculations by simulated dynamics. Part I: Formulation and a test application
By H. CHACHAM and J. R. MOHALLEM 391

The properties of inhomogeneous square-well mixtures in one dimension
By P. A. MONSON 401

Spontaneous strain energies associated with orientational order–disorder phase transitions
By M. T. DOVE 425

Conformational equation of state for fluids of chain molecules
By S. GUPTA and E. MCLAUGHLIN 433

An *ab initio* calculation of the rotational–vibrational energies in the electronic ground state of NH_2
By P. JENSEN, R. J. BUENKER, G. HIRSCH and S. N. RAI 443

Neutron-diffraction measurements on liquid benzene
By R. FELICI, F. CILLOCO and P. BOSI 455

Molecular-dynamics studies and neutron-scattering experiments on methylene chloride. Part II: Dynamics
By G. R. KNELLER and A. GEIGER 465

Monte Carlo simulations of liquid n-butane
By N. G. ALMARZA, E. ENCISO, J. ALONSO, F. J. BERMEJO and M. ALVAREZ 485

NMR study of solid cholesterol
By E. R. ANDREW and B. PEPLINSKA 505

Molecular-dynamics study of glass formation in the Li_2SiO_3 system
By J. HABASAKI 513

Diffusion in vibrating-molecule liquids
By J. G. POWLES, C. DAVIS, W. A. B. EVANS and S. MURAD 529

Research Notes

The role of molecular flexibility in simulations of water
By J.-L. BARRAT and I. R. MCDONALD 535

Toward the spectroscopic identification of silylvinylidene intermediate
By J. S. FRANCISCO and J. J. W. MCDOWELL 541

Corrigendum

Vibrational couplings in acetylene
By M. HERMAN and T. R. HUET 545

NUMBER 4—JULY 1990

Clustering of rovibrational energy levels in the highly excited H_2S molecule
By J. Pyka 547

A ^{13}C solid-state NMR study of the structure and the dynamics of the polymorphs of sulphanilamide
By L. Frydman, A. C. Olivieri, L. E. Diaz, B. Frydman, A. Schmidt and S. Vega 563

Tensorial sets for coupled pairs of spin-$\frac{1}{2}$ nuclei
By G. J. Bowden, J. P. D. Martin and F. Separovic 581

Renner–Teller and spin–orbit interactions between the $^1A_1$, $^1B_1$ and $^3B_1$ states of CH_2
By A. Alijah and G. Duxbury 605

Atom–molecule dispersion-energy coefficients and their dependence on the intramolecular coordinate: A–H_2 systems
By M. A. Matías and A. J. C. Varandas 623

Intensity parameters for the Raman trace and anisotropic scattering of methyl iodide
By J. Santos and J. M. Orza 645

Angular distributions of reactive scattering arising from persistent complexes by transverse dissociation of symmetric-top transition states
By R. D. Jarvis, G. J. Laming and R. Grice 667

A neutron-diffraction study of tetramethylammonium chloride in aqueous solution
By J. Turner, A. K. Soper and J. L. Finney 679

***Ab initio* study of bonding trends 6. The X≡Y and X=Y=Z species containing phosphorus**
By P. Pyykkö and Yongfang Zhao 701

C—H and C—D interbond coupling in CHD_2Cl
By J. E. Baggott, D. A. Newnham, J. L. Duncan, D. C. McKean and A. Brown 715

The second dielectric virial coefficient of asymmetrical polar hard dumb-bell fluids
By Masaharu Ohba and Hiroyasu Nomura 729

NUMBER 5—10 AUGUST 1990

Studies of the electronic states of the BaF molecule. Part I: Effective constants for seven states below 30 000 cm^{-1}
By C. Effantin, A. Bernard, J. d'Incan, G. Wannous, J. Vergès and R. F. Barrow 735

Studies of the electronic states of the BaF molecule. Part II: The 5d($v = 0, 1, 2$) states
By A. Bernard, C. Effantin, J. d'Incan, J. Vergès and R. F. Barrow 747

Perturbation theory for bending potentials
By T. Carrington Jr 757

Density-functional approach to two-dimensional classical fluids
By Masaaki Takamiya and Koichiro Nakanishi 767

Depolarized interaction-induced light scattering: a kinetic-theory approach
By G. Szamel and J. Piasecki 783

Two approximations for the classical triplet distribution function
By K. Scherwinski 797

Dynamical properties of molecules physisorbed on a metal particle
By C. Girard and F. Hache 811

Diabatic representation of the $\tilde{A}^2A_1/\tilde{B}^2B_2$ conical intersection in NH_2
By C. Petrongolo, G. Hirsch and R. J. Buenker 825

***Ab initio* study of NO_2. Part II: Non-adiabatic coupling between the two lowest $^2A'$ states and the construction of a diabatic representation**
By G. Hirsch, R. J. Buenker and C. Petrongolo 835

Anharmonic resonances between the upper rovibrational levels of the $\nu_2 + \nu_4^{\pm 1}$, $\nu_2 + 3\nu_6^{\pm 1}$, $\nu_1 + \nu_5^{\pm 1}$, $3\nu_5^{\pm 1}$, $\nu_4^{\mp 1} + \nu_5^{\mp 1}$, $\nu_5^{\mp 1} + 3\nu_6^{\mp 1}$, $\nu_5^{\pm 1} + 3\nu_6^{\mp 3}$ and $2\nu_3 + 3\nu_6^{\pm 1}$ infrared bands of $CH_3{}^{35}Cl$ studied in a high-resolution FTIR spectrum from 4250 to 4600 cm^{-1}
By H. Najib, N. Bensari-Zizi, H. Bürger, G. Guelachvili and C. Alamichel 849

Theoretical study of the rovibrational dependence of nuclear hyperfine interactions in the ν_3 band of SF_6
By M. L. Palma and J. Bordé 863

The quadrupole coupling tensor of ^{95}Mo in mesitylene molybdenum tricarbonyl
By L. Huis, P. J. W. Pouwels and C. MacLean 879

Magnetic circular dichroism in the charge-transfer-to-solvent excited states of iodide ion in aqueous solution
By Hitoshi Kimura, Youkoh Kaizu and Hiroshi Kobayashi 891

Proton nuclear magnetic resonance relaxation rates in aqueous solutions of amino acids
By D. Grucker, J. Steibel, Y. Mauss, B. Dumitresco, J. P. Armspach and J. Chambron 903

NUMBER 6—20 AUGUST 1990

Invited Article. Molecular dynamics without effective potentials via the Car–Parrinello approach
By D. K. Remler and P. A. Madden 921

The pressure and temperature dependence of the orientational order of a biaxial solute dissolved in a nematic solvent
By J. W. Emsley, G. R. Luckhurst and S. W. Smith 967

Henry constant of large solutes by simulation
By J. Stecki, A. Samborski and S. Toxvaerd 985

Ground-state constants A_0 and D_0^K of $^{12}CH_3I$ from perturbation-allowed transitions
By R. Anttila, V.-M. Horneman and S. Alanko 991

The rotational–vibrational spectrum of symmetric non-rigid triatomics in hyperspherical coordinates: the H_3^+ molecule
By P. Bartlett and B. J. Howard 1001

Effects of vibrational intercentre interaction in a trigonal two-centre system with twofold electronic degeneracy at each centre. Part I: Theoretical investigation
By G. I. Bersuker, L. F. Chibotaru, V. Z. Polinger and A. O. Solonenko 1031

Effects of vibrational intercentre interaction in a trigonal two-centre. Part II: Experimental manifestations
By G. I. Bersuker, L. F. Chibotaru, V. Z. Polinger and A. O. Solonenko 1045

XPS studies of charge-transfer interactions in some pyridine : organic-acceptor complexes
By E. T. Kang, K. G. Neoh and K. L. Tan 1057

Chirality and the thermophysical properties of molecular solid phases under pressure: (+)- and (±)-camphor
By O. Andersson, R. G. Ross and A. Jezowski 1065

A new general *R*-matrix theory of collinear reactions and its application to the $H + H_2$ reaction
By M. Mohan, K. F. Milfeld and R. E. Wyatt 1085

Classical multicomponent fluid structure near solid substrates: Born–Green–Yvon equation versus density-functional theory
By S. Sokolowski and J. Fischer 1097

The equation of state of hard Gaussian-overlap fluids
By T. Boublík and M. Díaz Peña 1115

Characteristics of solutions of the HNC equation applied to anion–cation systems interacting through a strong long-range Coulomb potential
By M. Kinoshita, M. Harada and A. Shioi 1121

Magnetic behaviour of $Fe(CN)_6^{3-}$ in surroundings of low symmetry studied by EPR
By D. M. Wang, S. M. Meijers and E. de Boer 1135

CONTENTS OF VOLUME 70

A method for the direct calculation of chemical potentials for dense chain systems
By J. I. SIEPMANN 1145

Research Note

Fluorescence polarization of a diatomic fragment following photodissociation of a triatomic precursor
By TAKASHI NAGATA, TAMOTSU KONDOW and R. N. ZARE 1159

Index of authors (with the titles of papers) 1163